


DS-K3B530X-BASE
Fixed base

- Fixed base for DS-K3B530LX series and DS-K3B530X series.
- -S for single lane with 2 pedestal , -M for extend more lanes.


▪ Specification

General	
Lane width	650mm/750mm/900mm/1100mm
Dimensions	-S: (Without packaging) 650: 1053 mm × 1673 mm × 36 mm (41.5" × 65.9" × 1.4") 750: 1153 mm × 1673 mm × 36 mm (45.4" × 65.9" × 1.4") 900: 1303 mm × 1673 mm × 36 mm (51.3" × 65.9" × 1.4") 1100: 1503 mm × 1673 mm × 36 mm (59.2" × 65.9" × 1.4") -M: (Without packaging) 650: 922 mm × 1673 mm × 36 mm (36.3" × 65.9" × 1.4") 750: 1022 mm × 1673 mm × 36 mm (40.2" × 65.9" × 1.4") 900: 1172 mm × 1673 mm × 36 mm (46.1" × 65.9" × 1.4") 1100: 1372 mm × 1673 mm × 36 mm (54.0" × 65.9" × 1.4")
Material	Pedestal installation area: SUS304 Lane: Aluminum plate (with pattern) Framework: Galvanization panel

▪ Available Model

DS-K3B530X-BASE650-M
 DS-K3B530X-BASE650-S
 DS-K3B530X-BASE750-M
 DS-K3B530X-BASE750-S
 DS-K3B530X-BASE900-M
 DS-K3B530X-BASE900-S
 DS-K3B530X-BASE1100-M
 DS-K3B530X-BASE1100-S

▪ **Dimension**



Lane Width	650	750	900	1100
L1	1052.6	1152.6	1302.6	1502.6
L2	921.6	1021.6	1171.6	1371.6

▪ **Accessory**

DS-K3B530X



Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.

