

DS-K6301X-T Payment Terminal



DS-K6300X-T payment terminal is a high-performance payment product based on face recognition. Based on deep-learning algorithm, this product equips with an 8-inch IPS touch screen, supporting payment via card, face, which can be widely used in business canteens.

- 8-inch IPS touch screen, with screen resolution of 800 × 1280
- 2 MP wide-angle lens
- Supports payment via face (face with mask supported) or card
- Supports wiring bluetooth speaker to amplify sound
- Supports setting fixed amount for payment under fixed amount mode. Max. amount can be set for every payment
- Supports fixed amount and fixed times payment mode
- Supports viewing payment statistics, including times, amount and etc.
- Supports management via device menu and web client, allowing payment configuration, system maintenance and other operations
- Supports online payment



Specification

System		
Operating system	Android 11	
Display		
Screen size	8-inch	
Operation method	Touch screen	
Туре	IPS	
Resolution	800 × 1280	
Video		
Lens	2	
Resolution	2 MP	
Video standard	PAL (Default) and NTSC	
Audio		
Audio input	Not support	
Audio output	Built-in loudspeaker	
Network		
Wired network	1, RJ-45	
Wi-Fi	Support, 2.4 G, 802.11b/g/n	
Interface		
Network interface	1	
Alarm input	Not support	
Alarm output	Not support	
USB	1 type-C interface	
Capacity		
Face capacity	100,000	
Card capacity	500,000	
Event capacity	500,000	
Authentication		
Face recognition distance	0.3 m to 1.2 m	
Face recognition accuracy rate	≤ 99%	
Face recognition duration	< 0.2 s	
Card type	M1 card,DESfire card,Felica card	
Card reading distance	0 cm to 5 cm	
Function		
Video intercom	Not support	
QR code recognition	Reserved	
Face anti-spoofing	Support	
Time synchronization	Support	
General		
Supplement light	IR supplement light	
Power supply	12 VDC to 16 VDC	
Working temperature	-10 °C to 50 °C (14 °F to 122 °F)	
Working humidity	0 to 90% (no condensing)	
Dimensions	172.9 mm × 387.9 mm × 217.9 mm (6.8" × 15.3" × 8.6")	





Weight	2.1 kg (4.6 lb)
Application environment	Indoor
Language	English, Spanish (South America), Arabic, Thai, Indonesian, Russian, Vietnamese, Chinese Traditional


Available Model

DS-K6301X-T

Dimension









Headquarters No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 www.hikvision.com

Follow us on social media to get the latest product and solution information.





HikvisionHQ



HikvisionHQ



Hikvision_Global





